Strategic Station Placement for Sustainable Commuter Rail Development in Texas

By: Sai Raj Peddi


Texas Triangle Rail Group Data Research

Date: April 07, 2025

Executive Summary

Overview of the Study:

This research focuses on evaluating the feasibility and strategic implementation of a commuter rail system across three proposed routes in Texas, specifically connecting Mission, McAllen, Brownsville, and surrounding regions. These routes—Upper 365 Loop extended to Brownsville, Lower 365 Loop extended to Brownsville, and an elevated route along Highway 83—were selected for their potential to address regional transit needs, reduce congestion, and foster economic development.



The study incorporates a multi-faceted approach, analyzing demographic, economic, and traffic data, alongside public transit accessibility and regulatory requirements. This comprehensive framework ensures a data-driven evaluation of optimal station placement, environmental considerations, and future rail extensions.

Key Findings:

1. Demographics and Economics:

- Hidalgo County is the most populous region, with over 860,000 residents,
 highlighting its critical role in rail ridership potential.
- Income levels vary significantly, ranging from \$30,000 in Starr County to \$40,000 in Hidalgo County, indicating a need for affordable transit options.
- Employment rates exceed 58% across the study area, suggesting a strong commuter base for the proposed rail system.

2. Traffic and Transit Insights:

- Traffic congestion hotspots along Highway 83 and major intersections near
 Mission and McAllen see vehicle volumes exceeding 50,000 daily, underscoring
 the demand for alternative transit solutions.
- Existing public transit services (Valley Metro, Metro McAllen, and Brownsville
 Metro) have limited coverage, leaving significant gaps in regional connectivity.

3. Station Placement Analysis:

• Using factors such as population density, traffic volume, proximity to facilities, and transit connectivity, the study identifies three optimal station locations:

- Station 1: Located near McAllen, a densely populated urban center with high commuter activity and residential density, near high-density residential zones with over 3,500 people per square mile.
- **Station 2**: Positioned near **Brownsville**, a significant traffic hub with substantial vehicle volume and proximity to key facilities like schools and shopping centers, at a major traffic hub with 50,000+ daily vehicles
- **Station 3**: Situated near **Mission**, a city with strategic proximity to residential zones, educational institutions, and medical facilities, close to educational and medical facilities, enhancing accessibility.

4. Environmental and Regulatory Considerations:

- Environmental Impact Assessments (EIAs) are required for projects of this scale, focusing on air and water quality, noise pollution, and habitat preservation.
- Land use permitting in Texas demands compliance with federal and state regulations, including NEPA and Clean Water Act provisions.

Recommendations:

- **Prioritize Station Implementation:** Focus on the three recommended stations due to their strategic locations in high-demand areas.
- Engage Stakeholders: Conduct public consultations to address community needs and integrate feedback into project planning.

- **Streamline Regulatory Compliance:** Initiate the EIA and land use permitting processes early to avoid delays.
- Explore Future Extensions: Consider westward expansion of the Rio Grande commuter rail to Laredo and El Paso to enhance connectivity.

This study concludes that the proposed commuter rail system offers a transformative solution to regional transit challenges, with significant potential for economic and social benefits. Through strategic planning and community engagement, the project can deliver a sustainable and accessible transportation network for Texas.



Introduction

Background and Purpose of the Research:

The rapid urbanization and population growth across Texas have led to mounting challenges in transportation infrastructure. Regions such as the Rio Grande Valley—encompassing cities like Mission, McAllen, and Brownsville—are particularly affected by increasing traffic congestion, limited public transit options, and the absence of a cohesive regional transportation network. These challenges underscore the urgent need for innovative and sustainable mobility solutions, including the development of a commuter rail system.

Historically, Texas has relied heavily on automobile travel, with limited investment in public transportation outside of major metropolitan areas like Houston and Dallas. This dependence has led to rising vehicle emissions, deteriorating road conditions, and increased commute times, particularly along key corridors like Highway 83. The proposed commuter rail project seeks to address these issues by providing an efficient, sustainable, and affordable alternative for residents and commuters.

This research was initiated to explore the feasibility of establishing a commuter rail system across three proposed routes:

 Upper 365 Loop Extended to Brownsville: Connecting Mission to Brownsville through a northern corridor.

- 2. **Lower 365 Loop Extended to Brownsville:** Serving as a southern counterpart to enhance connectivity.
- 3. **Elevated Route Along Highway 83:** A central route designed to address congestion along one of the busiest highways in the region.

The study combines demographic, economic, environmental, and regulatory analyses to identify optimal station locations, assess the potential benefits of the rail system, and provide actionable recommendations for implementation.

Scope and Objectives:

The scope of this research encompasses the Rio Grande Valley and surrounding areas, with a focus on Starr, Hidalgo, and Cameron counties. These counties represent a diverse population base, ranging from densely populated urban centers to underserved rural areas, making them an ideal case study for a commuter rail system. The study's objectives are designed to provide a comprehensive framework for evaluating the feasibility, benefits, and challenges of the proposed project.

Key Objectives:

1. Analyze Demographic and Economic Conditions:

The first objective is to assess population distribution, income levels, and employment rates across the study area. Understanding these factors is critical for identifying areas with the highest demand for commuter rail services. Key questions include:

- Which areas have the highest population densities?
- How do income levels influence the affordability of rail transit?
- What is the commuter profile of the region's workforce?

This analysis leverages data from the U.S. Census Bureau and local government sources, providing a granular understanding of the region's socioeconomic landscape.

2. Evaluate Existing Public Transit and Traffic Conditions:

The second objective is to examine the current state of public transportation and traffic patterns in the region. This involves mapping existing bus routes provided by Valley Metro, Metro McAllen, and Brownsville Metro and identifying service gaps.

Simultaneously, traffic data from the Texas Department of Transportation (TxDOT) is analyzed to pinpoint high-congestion areas where a rail system could alleviate stress on road infrastructure.

Specific questions addressed include:

- Where are the major transit service gaps along the proposed routes?
- Which traffic hotspots could benefit most from alternative transit solutions?
- How does the rail system complement or enhance existing transit networks?

3. Identify Optimal Station Locations:

A critical component of the study is station placement, which requires balancing factors such as population density, traffic volume, facility proximity, and transit connectivity.

Using a combination of regression analysis and spatial mapping, this research identifies three recommended station locations:

- Station 1: Strategically located near high-density residential zones.
- Station 2: Situated at a major traffic hub with significant daily vehicle volume.
- Station 3: Positioned near key facilities, including schools, hospitals, and shopping centers.

The goal is to maximize accessibility, ridership potential, and community benefits.

4. Assess Environmental and Regulatory Requirements:

The development of a commuter rail system must comply with federal and state environmental regulations, particularly those outlined in the National Environmental Policy Act (NEPA) and the Texas Clean Air Act. This research reviews the processes for Environmental Impact Assessments (EIA) and land use permitting to ensure the project aligns with legal and environmental standards.

Key considerations include:

- How do air and water quality regulations impact project planning?
- What are the requirements for obtaining land use permits in Texas?
- How can mitigation measures address potential environmental concerns?

5. Incorporate Visual and Geographic Analyses:

To effectively communicate findings, this study integrates maps and visualizations that overlay key data points, such as demographic density, traffic volume, and station

recommendations. These visuals provide stakeholders with a clear understanding of the project's geographic and socioeconomic context.

6. Explore Future Extensions:

While the primary focus is on the Rio Grande Valley, the study also considers long-term expansion opportunities, such as extending the Rio Grande commuter rail westward to Laredo and El Paso. This aligns with broader regional and international connectivity goals, including potential links to Monterrey, Mexico.

Expected Outcomes:

The study is expected to provide:

- 1. Data-Driven Station Recommendations: Identification of three optimal station locations, supported by demographic, traffic, and facility data.
- 2. Environmental and Regulatory Guidance: A roadmap for navigating EIA processes and land use permitting requirements.
- 3. Strategic Insights for Implementation: Recommendations for phasing construction, engaging stakeholders, and addressing regulatory challenges.
- 4. Visual Framework for Decision-Making:

High-quality maps and graphics to aid in project planning and stakeholder communication.

Significance of the Research:

The proposed commuter rail system has the potential to transform transportation in the Rio Grande Valley by:

- Reducing traffic congestion along critical corridors.
- Providing an affordable and sustainable alternative to automobile travel.
- Enhancing regional economic development by improving connectivity to jobs, education,
 and healthcare.
- Supporting environmental sustainability through reduced vehicle emissions.

This research not only addresses immediate transit needs but also lays the groundwork for a long-term vision of integrated regional and international mobility. By combining data-driven analyses with stakeholder engagement and strategic planning, the study aims to position the Rio Grande Valley as a model for sustainable transportation development in Texas and beyond.

Proposed Rail Routes

Description of Routes:

The development of a commuter rail system in the Rio Grande Valley is centered around three proposed routes: the Upper 365 Loop extended to Brownsville, the Lower 365 Loop extended to Brownsville, and an elevated route along Highway 83 between Mission and Brownsville. Each route was selected based on its strategic potential to address traffic congestion, enhance connectivity, and support economic growth across the region.

1. Upper 365 Loop Extended to Brownsville:

The Upper 365 Loop route represents a northern alignment connecting Mission and McAllen to Brownsville. This route passes through high-density residential zones, industrial areas, and commercial hubs, making it a vital corridor for commuter traffic.

Key Features:

- Alignment: The route primarily follows the northern section of the 365 Loop,
 extending from Mission to Brownsville via major urban centers like McAllen and
 Weslaco.
- Connectivity: It links residential neighborhoods to industrial zones, educational institutions, and healthcare facilities, ensuring broad utility.
- **Demographics:** The areas along this route have high population densities, particularly in Hidalgo County, with McAllen serving as a central hub.

Challenges:

- Land Use: Significant portions of the northern alignment pass through developed urban zones, requiring careful land acquisition and permitting.
- Environmental Concerns: The route traverses areas with ecological sensitivities, necessitating robust Environmental Impact Assessments (EIA).

Potential Benefits:

- Alleviates traffic congestion on parallel highways by providing a reliable alternative.
- Supports economic activity in industrial zones and urban centers.
- Enhances access to job markets, particularly for lower-income communities.

2. Lower 365 Loop Extended to Brownsville:

The Lower 365 Loop route offers a southern alternative for rail connectivity. It serves as a complement to the Upper Loop, targeting communities in rural and semi-urban areas that currently have limited access to public transportation.

Key Features:

- Alignment: This route extends from Mission to Brownsville along the southern
 portion of the 365 Loop, passing through towns such as Mercedes, Harlingen, and
 San Benito.
- **Demographics:** While the population density is lower than the Upper Loop, this route addresses underserved areas where public transit options are sparse.
- **Economic Drivers:** The southern alignment intersects agricultural and manufacturing zones, creating opportunities for freight and commuter integration.

Challenges:

- **Ridership Potential:** Lower population densities may result in reduced initial ridership compared to the northern alignment.
- Infrastructure Needs: Some areas along this route require significant infrastructure upgrades, including bridges and culverts.

Potential Benefits:

- Provides equitable access to transportation for rural communities.
- Promotes regional development by improving connectivity to Brownsville's commercial and industrial sectors.
- Offers redundancy to the Upper Loop, enhancing the overall reliability of the rail network.

3. Elevated Route Along Highway 83 Between Mission and Brownsville:

The Highway 83 route is the most central and direct alignment, running parallel to one of the busiest corridors in the region. By leveraging elevated rail infrastructure, this route addresses the challenges of land availability and traffic congestion while offering a modern, efficient transit solution.

Key Features:

- Alignment: The elevated rail line runs directly above Highway 83, connecting
 Mission to Brownsville via McAllen and Harlingen.
- **Infrastructure:** Elevated tracks minimize land acquisition challenges and reduce conflicts with road traffic, ensuring faster construction timelines.

• **Traffic Volume:** This corridor sees daily vehicle volumes exceeding 50,000, making it a critical focus for traffic mitigation efforts.

Challenges:

- Cost: Elevated infrastructure requires significant upfront investment, increasing construction costs.
- **Aesthetic Concerns:** Elevated tracks may face resistance from local communities due to visual and noise impacts.

Potential Benefits:

- Reduces congestion on Highway 83, the primary east-west artery in the region.
- Provides a fast and efficient transit option for commuters traveling between major cities.
- Minimizes disruption to existing land uses, preserving urban development along the corridor.

Strategic Importance of the Proposed Routes:

The three proposed routes were chosen based on their ability to meet the transportation and development needs of the Rio Grande Valley. Together, they form a comprehensive network that addresses current challenges while laying the groundwork for future growth.

1. Enhancing Regional Connectivity:

The proposed routes connect key cities, towns, and economic zones, fostering greater integration within the Rio Grande Valley. By linking Mission, McAllen, Harlingen, and Brownsville, the rail system provides a seamless transit solution that reduces travel times and enhances mobility for residents.

Key Highlights:

- Mission to Brownsville: A direct connection between two of the region's largest economic hubs.
- Integration with Existing Infrastructure: The routes complement existing public transit systems, filling critical service gaps and enhancing multimodal connectivity.

2. Alleviating Traffic Congestion:

Traffic congestion along Highway 83 and other major roads is a significant challenge in the Rio Grande Valley. With daily vehicle volumes exceeding capacity in many areas, commuters face long delays and increased stress.

Impact of the Rail System:

• Route-Specific Benefits:

- The elevated Highway 83 route directly reduces vehicle traffic on the busiest corridor in the region.
- The Upper and Lower 365 Loops provide alternative routes for commuters, distributing traffic more evenly.

• Environmental Benefits: Reduced vehicle usage lowers emissions, contributing to improved air quality and environmental sustainability.

3. Supporting Economic Development:

The proposed rail routes are designed to stimulate economic growth by improving access to jobs, education, and healthcare. By connecting residential areas to commercial and industrial zones, the system supports workforce mobility and regional competitiveness.

Economic Drivers:

- Increased Employment Opportunities: Easier access to job markets enables workers to commute efficiently.
- **Support for Businesses:** Improved transportation attracts investment and facilitates the movement of goods and services.
- **Tourism:** Enhanced connectivity between cities promotes tourism and regional attractions.

4. Promoting Equity and Accessibility:

Transportation equity is a central goal of the proposed rail system. The routes are designed to serve communities with limited access to public transit, ensuring that residents across socioeconomic levels benefit from improved mobility.

Equity Features:

- **Rural Connectivity:** The Lower 365 Loop targets underserved rural communities.
- **Affordability:** The rail system provides a cost-effective alternative to driving, particularly for low-income households.

5. Environmental Sustainability:

The proposed rail routes align with global and regional goals for sustainable development. By reducing dependence on automobiles, the system contributes to lower greenhouse gas emissions and improved environmental health.

Sustainability Measures:

- Clean Energy: Electric rail systems reduce reliance on fossil fuels.
- Land Use Efficiency: Elevated routes minimize the need for extensive land acquisition, preserving natural habitats and urban spaces.

6. Facilitating Long-Term Regional Planning:


The proposed rail routes are not just immediate solutions but also building blocks for long-term regional planning. By creating a robust transportation backbone, the system enables future extensions and integration with larger networks.

Future Vision:

- Westward Expansion: Extensions to Laredo and El Paso enhance connectivity across Texas.
- **International Links:** Connections to Monterrey, Mexico, support cross-border trade and cultural exchange.

The proposed rail routes—Upper 365 Loop, Lower 365 Loop, and the elevated Highway 83 route—represent a transformative opportunity for the Rio Grande Valley. Each route addresses specific transportation challenges while contributing to regional growth, environmental sustainability, and equitable access. Together, they form a cohesive network that supports the


long-term vision of an integrated and sustainable transportation system for South Texas. By prioritizing strategic investments and stakeholder collaboration, the proposed rail system can become a cornerstone of the region's development.



Demographic and Economic Analysis

Population Distribution Across Starr, Hidalgo, and Cameron Counties:

Population distribution is a critical factor in assessing the potential demand for a commuter rail system. The Rio Grande Valley, comprising Starr, Hidalgo, and Cameron counties, exhibits diverse demographic characteristics that influence transportation needs.



1. Starr County:

- **Population:** Approximately 65,000.
- **Urban vs. Rural:** Starr County is primarily rural, with a lower population density compared to Hidalgo and Cameron counties. Residential zones are dispersed, emphasizing the need for regional connectivity.

 Growth Potential: While smaller in population, the county's strategic location near the border highlights its potential as a connector in cross-border trade and travel.

2. Hidalgo County:


- Population: Over 860,000, making it the most populous county in the Rio Grande Valley.
- **Urban Centers:** Cities like McAllen and Mission dominate the county, with high residential and commercial density.

• Demographics:

- A younger median age compared to state and national averages,
 suggesting a workforce-driven commuting demand.
- High population density, particularly in McAllen and surrounding suburbs, makes Hidalgo County a focal point for rail demand.

3. Cameron County:

- **Population:** Approximately 420,000.
- **Urban Centers:** Brownsville, the largest city in the county, is a key economic and transit hub.
- Port Access: Proximity to the Port of Brownsville enhances the county's economic significance, drawing commuter and freight traffic.



Income Levels and Employment Statistics:

Income and employment are critical indicators of rail demand, reflecting both affordability and commuter behavior.

Income Levels:

1. Starr County:

- Median household income: \$30,000.
- Lower-income levels indicate a reliance on affordable public transit solutions.


2. Hidalgo County:

• Median household income: \$40,000.

 Moderate income levels coupled with high population density make Hidalgo an ideal target for rail services.

3. Cameron County:

- Median household income: \$35,000.
- Economic activity is concentrated in Brownsville, where income levels vary significantly between urban and rural areas.



Employment Statistics:

Employment rates reflect a high percentage of working-age residents reliant on daily commutes:

• Starr County: 58.2%.

• Hidalgo County: 62.5%.

• Cameron County: 60.1%.

Key Insights:


- Hidalgo County's high employment rate aligns with its population density,
 reinforcing its role as a commuter hub.
- Starr County's employment patterns suggest the need for regional connections to economic centers in Hidalgo and Cameron counties.

Employment and Income Visualization:

Table 1: Income and Employment Statistics Across Counties

County	Population	Median Income (\$)	Employment Rate (%)
Starr County	65,000	30,000	58.2
Hidalgo County	860,000	40,000	62.5
Cameron County	420,000	35,000	60.1

This table underscores the economic diversity within the region, highlighting the need for accessible and affordable transportation options.



Implications for Rail Demand:

The demographic and economic analysis reveals several key insights that inform the design and implementation of the commuter rail system:

1. Population Clusters as Demand Drivers:

• Urban Centers:

- McAllen, Brownsville, and Mission are population and economic hubs with high commuter activity.
- These cities should host primary rail stations to maximize ridership.

• Rural Connectivity:

 Regions like Starr County require feeder services to connect to rail hubs, ensuring equitable access.

2. Income Levels and Affordability:

- Lower-income communities in Starr and Cameron counties highlight the need for affordable ticket pricing and accessible transit.
- Subsidies or reduced fares for low-income residents could enhance rail adoption.

3. Employment-Centric Connectivity:

- The high employment rates across the counties indicate a strong commuter base.
- Rail routes should prioritize connections to job centers, including:
 - Downtown McAllen and Brownsville.
 - Industrial zones in Hidalgo and Cameron counties.

4. Support for Regional Development:


 Rail infrastructure can stimulate economic activity in underserved areas, attracting businesses and improving quality of life. Enhanced connectivity may also encourage population growth in less dense regions like Starr County.

Final Recommendations:

Based on the demographic and economic analysis, the following recommendations are proposed to optimize the commuter rail system:

- Prioritize Urban Centers: Establish primary stations in McAllen, Brownsville, and Mission to serve high-density areas.
- 2. Incorporate Affordable Pricing Models: Implement tiered pricing to address the income disparities across the region.
- **3.** Enhance Regional Accessibility: Develop feeder transit systems in Starr County to connect rural residents to the rail network.
- **4. Integrate Employment Hubs:** Align rail routes with major job centers to maximize commuter utility and economic impact.

The Rio Grande Valley's diverse population, economic activity, and regional disparities make it an ideal candidate for a commuter rail system that addresses both urban and rural mobility needs. By leveraging these insights, the proposed rail system can deliver equitable and transformative transportation solutions.



Public Transit and Traffic Analysis

Introduction:

The development of a commuter rail system in Texas, particularly in the Rio Grande Valley, is a strategic move to alleviate congestion, improve connectivity, and promote sustainable transportation. A robust commuter rail network can enhance regional economic development, reduce vehicular emissions, and integrate seamlessly with existing public transit systems. This study aims to analyze existing transit data, ridership trends, traffic volume reports, and planning methodologies to determine optimal station placement for the proposed commuter rail.

By leveraging reports from Valley Metro, TxDOT, and other transportation authorities, this research provides a data-driven approach to selecting station locations and assessing transit integration. The findings will help address traffic congestion hotspots, evaluate multimodal connectivity, and optimize station placement to serve the highest number of commuters efficiently.

Data Sources and Their Relevance:

- Valley Metro Ridership Reports Monthly transit usage statistics that highlight trends in peak ridership and passenger demand.
- Valley Metro Transit Performance Reports Annual overviews of service efficiency, reliability, and customer satisfaction to determine the viability of commuter rail integration.
- TxDOT Statewide Traffic Count Data Traffic volume reports identifying congestion hotspots that would benefit from alternative transit options.
- 4. North Central Texas Council of Governments (NCTCOG) Traffic Data A detailed compilation of current and historical traffic trends.
- Federal and State Transportation Studies Research reports on rail transit planning, traffic demand analysis, and funding challenges.

Each of these sources provides insights into the demand, efficiency, and strategic alignment necessary for the commuter rail system to succeed.

Traffic and Transit Demand Analysis:

1. Traffic Volume Trends in Texas:

The Texas Department of Transportation (TxDOT) Traffic Count Data offers a comprehensive look at congestion trends across the state. Highway 83 and the 365 Loop experience significant congestion, particularly near McAllen, Brownsville, and Mission, with:

- 50,000+ vehicles per day on Highway 83 between McAllen and Mission.
- 30,000+ vehicles per day on the Upper 365 Loop.
- 15,000–20,000 vehicles per day on the Lower 365 Loop.

These statistics highlight the necessity of commuter rail in high-density traffic corridors. The most effective solution is a **parallel rail service along Highway 83**, supplemented by feeder services in suburban and rural areas.

2. Public Transit Performance and Ridership Trends:

According to Valley Metro's Ridership and Transit Performance Reports:


- Metro McAllen has a high concentration of riders in urban areas but lacks intercity connectivity.
- Brownsville Metro serves key destinations like the Port of Brownsville but is limited in scope.
- Valley Metro's intercity bus services operate on infrequent schedules, limiting accessibility.

A commuter rail system must integrate with these existing networks to provide seamless multimodal connectivity.

3. Station Placement Based on Traffic and Transit Data:

Using a combination of traffic volume, population density, and public transit accessibility, three optimal commuter rail stations have been identified:

- McAllen Station High population density and significant traffic congestion.
- **Brownsville Station** Major traffic hub with connectivity to ports and industry.
- Mission Station Strategically positioned near educational and medical facilities.



Overview of Existing Public Transit Systems:

The Rio Grande Valley's public transit infrastructure plays a crucial role in regional mobility. Three major transit providers—Valley Metro, Metro McAllen, and Brownsville Metro—serve the area, offering bus routes that connect cities and communities. However, these systems face significant challenges, including limited coverage, infrequent service, and a lack of integration with broader transit networks.

1. Valley Metro:

Service Overview:

- Valley Metro provides regional bus services across Cameron, Hidalgo, and Starr counties.
- It operates intercity routes connecting smaller towns with larger cities like
 McAllen and Brownsville.

Strengths:

- Coverage across multiple counties, making it a critical regional transit provider.
- Serves underserved rural areas, providing vital connections to urban centers.

Challenges:

- Infrequent service, particularly in rural areas, limits usability.
- Lack of integration with Metro McAllen and Brownsville Metro systems.

2. Metro McAllen:

Service Overview:

• Metro McAllen operates within McAllen, focusing on intra-city transit.

 It provides fixed-route bus services, serving residential, commercial, and industrial areas.

Strengths:

- High service concentration in McAllen, one of the most populous cities in the region.
- Affordable fares, making it accessible to low-income residents.

Challenges:

- Coverage is limited to McAllen, leaving gaps in connectivity with neighboring cities.
- Low service frequency during off-peak hours.

3. Brownsville Metro:

Service Overview:

- Brownsville Metro (B Metro) operates bus services within Brownsville and surrounding areas.
- It includes fixed routes and paratransit services for disabled residents.

Strengths:

- Focuses on urban transit within Brownsville, a major economic hub.
- Provides reliable service to key destinations like the Port of Brownsville.

Challenges:

• Routes are confined to Brownsville, limiting regional connectivity.


• High reliance on transfers for cross-city travel.

Table 2: Key Features of Public Transit Providers

Transit Provider	Coverage Area	Strengths	Challenges
Valley Metro	Starr, Hidalgo,	Multi-county coverage;	Infrequent service; poor
	Cameron	rural connectivity	system integration
Metro McAllen		Dense urban coverage;	Limited to McAllen; low off-
		affordable fares	peak frequency
Brownsville	Brownsville	Urban focus; reliable	Limited to Brownsville;
Metro		service	regional gaps

Traffic Volume Analysis Along Proposed Routes:

Traffic congestion is a significant issue in the Rio Grande Valley, particularly along major corridors such as Highway 83 and the 365 Loop. Daily vehicle counts indicate high volumes that exceed road capacity, resulting in delays, increased emissions, and reduced quality of life.



Traffic Hotspots:

1. Highway 83:

- Average daily traffic exceeds 50,000 vehicles in urban sections between Mission and McAllen.
- Congestion peaks during morning and evening commutes, impacting travel times.

2. Upper 365 Loop:

- Connects Mission to Brownsville via northern urban areas.
- Experiences moderate traffic volumes (30,000–40,000 vehicles/day), with hotspots near McAllen.

3. Lower 365 Loop:

• Serves rural and semi-urban areas.

• Traffic volumes are lower (15,000–20,000 vehicles/day), but road infrastructure is less developed.





Table 3: Traffic Volumes Along Proposed Routes

Route	Key Segment	Average Daily Traffic (Vehicles)	Traffic Issues
Highway 83	Mission to McAllen	>50,000	Severe congestion during peak hours
Upper 365 Loop	McAllen to Brownsville	30,000–40,000	Moderate congestion near urban centers
Lower 365 Loop	Mission to Brownsville	15,000–20,000	Lower volume; poor road infrastructure

Traffic Implications for Rail Demand:

- **Highway 83:** Represents the greatest opportunity for rail to alleviate congestion. The elevated route proposed along this corridor directly addresses traffic bottlenecks.
- Upper 365 Loop: Serves as a relief route for commuters traveling between McAllen and Brownsville.
- Lower 365 Loop: Provides essential connectivity for rural and semi-urban areas.



Transit Accessibility and Service Gaps:

Despite the presence of three transit providers, significant service gaps exist, limiting the effectiveness of public transportation in the region.

Accessibility Challenges:

1. Rural Connectivity:


- Rural areas, particularly in Starr County, lack reliable transit options.
- Long distances between bus stops discourage usage.

2. Urban Congestion:

• While urban areas like McAllen and Brownsville have transit coverage, frequent traffic delays reduce reliability.

3. Service Frequency:

 Infrequent bus schedules, especially during off-peak hours, make transit less attractive.



Gaps in Regional Integration:

The absence of a unified transit system hampers regional mobility:

- Transfers between Valley Metro, Metro McAllen, and Brownsville Metro are time-consuming and inconvenient.
- Lack of coordination between providers creates inefficiencies and discourages intercity travel.

Proposed Solutions:

- 1. **Integration with Rail:** The proposed rail system can fill critical service gaps, particularly in connecting rural areas to urban centers.
- **2. Feeder Services:** Introducing bus routes that align with rail stations can improve last-mile connectivity.
- **3. Enhanced Scheduling:** Increasing the frequency of bus services, especially during peak hours, will enhance reliability.

Implications for Rail Development:

The findings from the public transit and traffic analysis highlight the need for a rail system that complements existing transit networks while addressing their limitations. Key implications include:

- Reduced Congestion: The rail system directly alleviates pressure on Highway 83 and the 365 Loop, providing a reliable alternative for commuters.
- 2. Improved Accessibility: Rail stations strategically located in underserved areas can enhance connectivity and equity.
- **3. Seamless Integration:** Coordinating bus and rail schedules ensures a cohesive and efficient transit network.
- **4. Enhanced Regional Mobility:** By bridging service gaps and reducing travel times, the rail system supports economic growth and quality of life improvements.

The public transit and traffic analysis underscores the critical role of a commuter rail system in transforming mobility in the Rio Grande Valley. By addressing traffic hotspots, improving accessibility, and integrating with existing transit networks, the proposed rail routes offer a sustainable and equitable solution to the region's transportation challenges.

Sustainability and Traffic Analysis

Introduction:

Sustainable commuter rail development requires a data-driven approach that integrates traffic volume analysis, environmental considerations, and performance measurement tools. The Texas Department of Transportation (TxDOT) and research institutions provide various methodologies and tools to enhance strategic station placement, optimize traffic forecasting, and implement sustainability measures.

This research incorporates insights from STARS II traffic data, vehicle probe data methodologies, sustainability performance frameworks, and transportation modeling studies to refine commuter rail station planning in Texas.

Key Research Insights:

- 1. Traffic Data Analysis and Volume Estimation: TxDOT's Statewide Traffic Analysis and Reporting System (STARS II) provides Annual Average Daily Traffic (AADT) data, enabling precise analysis of traffic density, commuter demand, and congestion hotspots. This information is critical for identifying optimal rail station locations by ensuring they serve high-traffic corridors efficiently.
 - Estimating Highway Volumes Using Vehicle Probe Data
 This study highlights real-time traffic volume estimation techniques using GPS,
 mobile sensors, and IoT-based vehicle tracking. Implementing these predictive traffic models in Texas' commuter rail system would enhance demand forecasting and route planning.
 - FHWA's AADT Estimation Methodologies

 The Federal Highway Administration's (FHWA) guidelines on short-duration traffic count stations emphasize the importance of accurate, real-time traffic monitoring.

 Commuter rail stations should be placed where peak congestion coincides with population density growth, maximizing ridership potential.


- 2. Sustainable Transportation Planning: Sustainability in rail development extends beyond reducing emissions; it requires an integrated approach that balances economic, environmental, and social factors.
 - Sustainability Enhancement Tool for Transportation Planning


 A performance measurement framework tested for TxDOT provides key indicators for measuring efficiency, environmental impact, and commuter accessibility in station placement.
 - Collecting and Analyzing Travel Data for TxDOT
 The Texas A&M Transportation Institute (TTI) research suggests new travel demand forecasting models that predict commuter behavior, optimizing station accessibility.
 - Integrating Sustainability into Transportation Planning
 Sustainability in transportation infrastructure development requires a holistic evaluation of energy consumption, land use efficiency, and long-term economic benefits.


Key Recommendations:

- Traffic Data Utilization Integrate TxDOT's STARS II, AADT models, and vehicle probe data to forecast commuter demand effectively.
- Sustainable Rail Station Design Apply performance-based sustainability metrics to measure and improve environmental and economic viability.
- Real-time Monitoring Deploy smart sensors, GIS mapping, and IoT data collection tools to enhance commuter forecasting.

4. **Integrated Planning with Bus Networks** – Ensure commuter rail aligns with existing Valley Metro, McAllen Metro, and Brownsville Metro transit services.







Traffic Counts and Strategic Station Placement

Introduction:

The Texas Triangle—connecting Houston, Dallas-Fort Worth, San Antonio, and Austin—has been a focus for transportation planning due to its high population density and economic activity. With increasing congestion in major corridors, commuter rail integration has become a viable solution to enhance regional mobility. This research leverages TxDOT's traffic data, intercity rail studies, and transit-oriented development analyses to identify optimal station placements and ensure a sustainable commuter rail system.

Key Findings and Analysis:

1. Traffic Volume Trends and Infrastructure Demand:

The TxDOT Statewide Traffic Count Maps and Open Data Portal provide Annual Average Daily Traffic (AADT) data, which is crucial for identifying high-congestion corridors. The Texas Triangle experiences:

- DFW to Houston (I-45 Corridor): Daily traffic exceeding 200,000 vehicles.
- Austin to San Antonio (I-35 Corridor): Congestion peaks above 180,000 vehicles/day.
- Houston to San Antonio (I-10 Corridor): Sustained daily traffic at 160,000 vehicles/day.

Strategic Implications:

• Rail station placement should prioritize areas with the highest congestion.

 Parallel rail alignments can help alleviate road traffic and improve commuter efficiency.

2. Regional Rail Feasibility and Demand Forecasting:

The "Dallas-Fort Worth – Houston Intercity Passenger Rail Corridor" report evaluates the feasibility of rail connections between DFW and Houston, showing a projected ridership of 12 million annually by 2040. This data suggests that commuter rail services in high-density urban centers within the Texas Triangle can be economically viable.

Station Considerations:

- Dallas, Houston, and Austin must serve as primary stations due to their economic and population significance.
- Intermediate hubs (e.g., Waco, College Station) should be included for regional connectivity.

3. Sustainability and Transit-Oriented Development (TOD):

The "Texas Triangle High-Speed Rail Study" highlights environmental benefits of rail expansion, including:

- 30% reduction in vehicle emissions per commuter.
- 50% lower energy consumption per passenger-mile compared to automobiles.
- Potential for TOD expansion around rail stations.

Sustainability Strategy:

- Multimodal integration (bus, bike, pedestrian access) to rail stations should be prioritized.
- Eco-friendly construction practices should be implemented in station development.


4. Transit-Oriented Development and Land Use Planning:


The "Regional Opportunities and Challenges for Transit-Oriented Development in the Texas Triangle" study emphasizes:


- Land value increases of 10-20% within a 1-mile radius of rail stations.
- Mixed-use zoning near stations can stimulate economic growth and urban revitalization.

Land Use Recommendations:

- Mixed-use zoning should be encouraged around stations.
- Public-private partnerships (PPPs) can facilitate station-area development.







Station Placement Analysis

Introduction to Station Placement:

The success of a commuter rail system depends heavily on the strategic placement of stations. By analyzing factors such as population density, traffic volume, facility proximity, and transit

connectivity, this study identifies optimal station locations along the proposed routes. These stations aim to maximize accessibility, ridership, and economic benefits while ensuring equitable service across urban and rural areas.

Factors Influencing Station Placement:

1. Population Density:

Population density is a key determinant of potential ridership. Areas with higher concentrations of residents are more likely to generate demand for commuter rail services, particularly in urban centers and densely populated neighborhoods.

Analysis:

- **Hidalgo County:** McAllen has the highest population density, with over 3,500 people per square mile, making it a primary candidate for a station.
- Cameron County: Brownsville, with dense residential zones, represents another high-demand area for station placement.
- **Starr County:** Population density is significantly lower, necessitating additional considerations to ensure rail access.

2. Traffic Volume:

Traffic data helps identify congestion hotspots where rail systems can alleviate road stress and provide an alternative for commuters. The analysis of traffic volume along major routes highlights areas of high vehicular demand.

Key Insights:

- **Highway 83:** Experiences the heaviest traffic in the region, with volumes exceeding 50,000 vehicles per day between Mission and McAllen.
- **Upper 365 Loop:** Handles moderate traffic (30,000–40,000 vehicles/day), particularly near McAllen and Weslaco.
- Lower 365 Loop: Lower traffic volumes (15,000–20,000 vehicles/day) suggest potential for growth with improved infrastructure.

3. Facility Proximity:

The proximity of key facilities such as schools, hospitals, shopping centers, and airports is a major consideration for station placement. These hubs generate significant daily traffic, serving as magnets for rail ridership.

Analysis:

- Educational Institutions: Major universities and schools near McAllen and Brownsville create commuter demand among students and staff.
- **Medical Facilities:** Hospitals and clinics in Mission and McAllen ensure a steady flow of visitors and employees.
- Shopping Centers: Retail hubs along Highway 83 and in Brownsville are key destinations for shoppers and workers.

4. Transit Connectivity:

The integration of the rail system with existing transit networks is critical for ensuring seamless multimodal travel. Stations must align with bus routes and transit hubs to facilitate last-mile connectivity.

Key Transit Networks:

- Valley Metro: Serves intercity routes, connecting smaller towns to urban centers.
- Metro McAllen: Focuses on intra-city transit within McAllen.
- **Brownsville Metro:** Provides reliable service within Brownsville, with potential to link to rail stations.

Table 4: Factors Influencing Station Placement

Factor	Key Insights	Implications for Station Placement
Population Density	High in McAllen and Brownsville	Prioritize stations in dense areas
Traffic Volume	Severe on Highway 83, moderate on 365 Loops	Target congestion hotspots
Facility Proximity	Schools, hospitals, shopping centers	Align stations with key facility hubs
Transit Connectivity	Valley Metro, Metro McAllen, Brownsville	Ensure integration with transit networks

Station Recommendations:

Based on the analysis, the following stations are proposed:

1. Station 1: McAllen

Justification:

- Highest population density (>3,500 ppl/sq mile).
- Heavy traffic along Highway 83.
- Proximity to schools, hospitals, and shopping centers.
- Strong integration with Metro McAllen bus services.

2. Station 2: Brownsville

Justification:

- Dense residential and commercial zones.
- Key transit hub for Brownsville Metro.
- Access to major facilities, including the Port of Brownsville.

3. Station 3: Mission

Justification:

- Strategic location along Highway 83.
- Proximity to residential zones and medical facilities.
- Potential to serve as a feeder station for rural commuters from Starr County.

Impacts of Station Placement:

1. Increased Ridership:

- Stations in McAllen and Brownsville will capture most urban commuters, ensuring high initial ridership.
- Mission station will serve as a gateway for rural communities, expanding the rail's reach.

2. Reduced Traffic Congestion:

- Stations near Highway 83 alleviate congestion in the busiest corridor of the region.
- Improved access to public transit reduces dependency on private vehicles.

3. Economic and Social Benefits:

- Proximity to key facilities enhances convenience for daily commuters.
- Integration with existing transit networks creates a seamless travel experience, encouraging rail adoption.

Table 5: Expected Benefits of Proposed Stations

Station	Population Served	Facilities Nearby	Traffic Impact	Transit Connectivity
McAllen	High	Schools, hospitals, retail		Strong with Metro McAllen

Station	Population Served	Facilities Nearby	Traffic Impact	Transit Connectivity
Brownsville	High			Links with Brownsville Metro
Mission	Moderate			Potential for feeder services

The placement of stations in McAllen, Brownsville, and Mission ensures maximum accessibility, ridership, and economic impact for the proposed commuter rail system. By considering population density, traffic volume, facility proximity, and transit connectivity, the recommended stations address the region's most critical transportation challenges while providing equitable service to urban and rural communities. Strategic station placement, supported by data-driven analysis, will pave the way for a transformative and sustainable rail network in the Rio Grande Valley.

Environmental and Regulatory Considerations

Environmental Impact Assessment Requirements:

Environmental Impact Assessments (EIAs) are a cornerstone of sustainable transportation project planning, ensuring that potential environmental effects are identified, assessed, and mitigated. In Texas, federally and state-funded transportation projects, including commuter rail systems, must comply with environmental regulations such as the National Environmental Policy Act (NEPA) and Texas-specific guidelines.

EIA Process Overview:

1. Screening:

- Determines whether a full EIA is required based on project size, funding sources, and potential environmental impact.
- Rail projects traversing sensitive areas such as wetlands or protected habitats typically require detailed EIAs.

2. Scoping:

- Identifies key environmental concerns to focus the assessment, such as air and water quality, noise pollution, and habitat preservation.
- Public input and stakeholder engagement occur during this phase to refine the scope of the analysis.

3. Impact Analysis:

- Assesses the potential effects of the project on:
 - Air Quality: Emissions from construction and rail operations.

- Water Resources: Risks of runoff, contamination, or hydrological changes.
- **Ecosystems:** Habitat disruption or loss of biodiversity.
- Noise Pollution: Increased noise levels near rail lines and stations.

4. Mitigation Measures:

- Proposes strategies to minimize or offset identified impacts, such as:
 - Installing noise barriers near residential areas.
 - Using clean construction technologies to reduce emissions.
 - Restoring or enhancing impacted habitats.

5. Public Consultation:

 Involves residents, community groups, and environmental organizations to gather feedback and ensure transparency.

6. Approval and Monitoring:

- Submitting the EIA report for regulatory approval marks the final step before construction begins.
- Post-approval monitoring ensures compliance with environmental commitments.

EIA Regulatory Framework:

1. NEPA:

- Federally funded rail projects must comply with NEPA, requiring Environmental Assessments (EAs) or Environmental Impact Statements (EIS).
- Key focus areas include emissions, land use changes, and community impacts.

2. Texas Commission on Environmental Quality (TCEQ):

• State-level requirements align with NEPA but include additional guidelines for water and air quality specific to Texas.

3. Other Relevant Laws:

- Clean Water Act (Section 404): Requires permits for projects impacting waterways or wetlands.
- Endangered Species Act: Protects critical habitats of threatened species.

Land Use Permitting Process in Texas:

Land use permitting is essential for obtaining the necessary approvals to construct transportation infrastructure. The process ensures that projects align with local zoning laws, environmental standards, and community development goals.

1. State and Federal Permits:

Key Permits:

- Section 404 Permit (Clean Water Act):
 - Required for any project that impacts rivers, streams, or wetlands.
 - Involves coordination with the U.S. Army Corps of Engineers.

• Floodplain Development Permit:

Necessary for construction in areas prone to flooding.

- Ensures compliance with FEMA and local floodplain ordinances.
- Endangered Species Permit: Addresses impacts on federally or state-listed species and their habitats.

2. Local Permitting Requirements:

• Zoning Approvals:

- Rail lines and stations must comply with local zoning regulations.
- Special use permits may be required for projects in residential or mixeduse zones.
- Building and Construction Permits: Cover site preparation, utility connections, and station construction.
- Public Consultation and Appeals: Local governments often require public hearings to gather input and address community concerns.

3. Steps in the Permitting Process:


• Pre-Application:

- Conduct initial site assessments to identify potential permitting hurdles.
- Engage with local authorities to understand zoning and environmental requirements.
- Application Submission: Submit detailed project plans, including EIA findings, engineering designs, and mitigation strategies.

• Review and Feedback: Regulatory agencies review the application and may request revisions or additional documentation.

• Approval and Compliance:

- Once approved, permits are issued, allowing construction to begin.
- Ongoing compliance monitoring ensures adherence to permit conditions.



Challenges in Land Use Permitting:

• Navigating multiple layers of regulation (federal, state, and local).

- Addressing opposition from stakeholders concerned about noise, displacement, or environmental degradation.
- Aligning permitting timelines with project schedules to avoid delays.

Key Environmental Factors for Transportation Projects:

Transportation projects, especially rail systems, must address various environmental factors to ensure compliance and sustainability.

1. Air Quality:

Impacts:

- Emissions from construction equipment and rail operations.
- Potential increases in particulate matter (PM) and nitrogen oxides (NOx).

Mitigation:

- Use of electric or hybrid construction equipment.
- Adoption of electric rail systems to minimize operational emissions.

2. Water Resources:

Impacts:

- Risk of soil erosion, sedimentation, and contamination during construction.
- Changes to drainage patterns and potential flooding.

Mitigation:

- Implementation of stormwater management systems.
- Preservation of natural drainage channels and wetlands.

3. Noise Pollution:

Impacts:

- Construction noise affecting nearby communities.
- Operational noise from rail systems, particularly near residential zones.

Mitigation:

- Installation of noise barriers and use of sound-dampening materials.
- Scheduling construction during daytime hours to reduce disruption.

4. Ecosystem Preservation:

Impacts:

- Disruption or fragmentation of wildlife habitats.
- Potential impacts on endangered species.

Mitigation:

- Creating wildlife corridors to maintain habitat connectivity.
- Implementing habitat restoration programs.

Table 6: Environmental Factors and Mitigation Strategies

Environmental Factor	Potential Impact	Mitigation Strategies
Air Quality	Emissions from construction	Use electric equipment, plant vegetation
Water Resources	Runoff, sedimentation, flooding	Stormwater management systems
Noise Pollution	Construction and operational noise	Install noise barriers, limit construction hours
Ecosystem Preservation	Habitat loss or disruption	Wildlife corridors, habitat restoration

Implications for Rail Development:

- 1. **Proactive Environmental Planning:** Early identification of environmental factors ensures timely mitigation and compliance with regulatory requirements.
- 2. Community Engagement: Addressing environmental concerns through public consultations builds community support for the project.
- 3. Sustainability Goals: By adopting green construction methods and minimizing environmental impacts, the rail system aligns with long-term sustainability objectives.

Environmental and regulatory considerations are integral to the success of the proposed commuter rail system. By adhering to EIA requirements, navigating land use permitting, and

addressing key environmental factors, the project can achieve compliance, minimize negative impacts, and secure community support. These measures not only facilitate construction but also ensure the long-term sustainability and acceptance of the rail system in the Rio Grande Valley.

Environmental and Regulatory Considerations for Sustainable Commuter Rail Development in Texas

Introduction:

Developing a sustainable commuter rail system in Texas requires adherence to environmental regulations and compliance frameworks such as the National Environmental Policy Act (NEPA) and state-level land use permitting processes. These ensure minimal environmental impact, legal approval, and public support for the project.

This research integrates insights from NEPA guidelines, Environmental Impact Statements (EISs), Texas Rail Plan reports, and Federal Railroad Administration (FRA) reviews to provide a regulatory roadmap for commuter rail station placement and development.

Key Findings and Analysis:

1. NEPA and Environmental Impact Assessments (EIA):

The National Environmental Policy Act (NEPA) requires that all federally funded rail projects undergo environmental assessments to evaluate impacts on:

- Air and Water Quality Emission levels and runoff contamination risks.
- Noise Pollution Sound impact on residential and commercial areas.
- Ecosystems and Biodiversity Protection of wildlife habitats and wetlands.

NEPA Process for Rail Projects:

- Screening Phase Determines if an EIA or EIS is needed.
- Scoping Phase Identifies environmental concerns such as air pollution, noise, and land use.
- Public Consultation Ensures community input and transparency.
- Impact Analysis and Mitigation Addresses concerns through low-emission technology, noise barriers, and sustainable land use planning.

Example: The Austin Light Rail Phase 1 Project demonstrates the EIA process in action, detailing station environmental considerations and compliance with state and federal laws.

2. Land Use and Permitting Requirements in Texas:

Rail development must comply with Texas-specific land use regulations, including:

- TxDOT's NEPA Project Development Toolkit A guide to zoning, right-of-way acquisitions, and permit approvals.
- Texas Commission on Environmental Quality (TCEQ) Oversees air and water quality standards.
- Clean Water Act (Section 404) Requires permits for wetland and waterway modifications.

Challenges in Land Use Permitting:

- Zoning Restrictions Rail station placement must align with urban, commercial, and industrial zones.
- Stakeholder Conflicts Resistance from property owners and environmental groups.
- Floodplain Development Restrictions Projects in flood-prone areas require additional approvals.

The Texas Rail Plan outlines strategies for navigating these challenges, emphasizing the importance of early engagement with local agencies.

3. Environmental Considerations for Commuter Rail Development:

Based on FRA environmental guidelines, key environmental factors include:

i) Air Quality & Emissions:

• Concerns: Emissions from diesel-powered trains and construction equipment.

 Mitigation: Adoption of electric or hybrid rail technology and tree planting to absorb pollutants.

ii) Noise Pollution:

- Concerns: Train operations increase noise levels near urban centers.
- Mitigation: Installation of sound barriers, quiet zones, and strategic scheduling.

iii) Water Resource Protection:

- Concerns: Risk of surface runoff contamination.
- Mitigation: Implementation of stormwater management systems and wetland conservation efforts.


iv) Ecosystem and Biodiversity Protection:


- Concerns: Rail projects may disrupt wildlife corridors and vegetation.
- Mitigation: Establishment of wildlife underpasses and green infrastructure.


Strategic Recommendations:


 Adopt Green Rail Technologies – Transition to electric or hybrid rail systems to minimize emissions and noise pollution.

- 2. **Early Regulatory Engagement** Initiate NEPA and permitting processes early to prevent legal delays.
- 3. **Public-Private Partnerships (PPPs)** Collaborate with environmental groups and local governments to ensure sustainable station placement.
- 4. **Sustainable Land Use Planning** Design stations with eco-friendly materials and stormwater management features.









Environmental and Regulatory Requirements for Sustainable Commuter Rail Development in Texas

Introduction:

Sustainable commuter rail development in Texas, particularly in the Texas Triangle and the Rio Grande Valley, requires careful integration of environmental assessments and regulatory compliance into project planning and station placement. Adherence to the National Environmental Policy Act (NEPA) and state permitting processes ensures environmentally responsible development, while early regulatory engagement reduces project delays and opposition. This research synthesizes insights from key environmental and regulatory sources to provide actionable guidance for sustainable station placement in the Texas Triangle and Rio Grande Valley.

Key Environmental and Regulatory Considerations:

1. NEPA Process and Environmental Impact Assessments (EIA)

The TxDOT NEPA Toolkit outlines the federal environmental review process, which applies to any federally funded transportation project, including commuter rail. The process begins with a Screening Phase to determine if a Categorical Exclusion (CE), Environmental Assessment (EA), or Environmental Impact Statement (EIS) is required. Projects with potentially significant environmental effects—such as rail corridors

crossing wetlands, floodplains, or habitats for endangered species—typically require full EIS reviews.

- Public consultation is embedded throughout the process, ensuring transparency.
- Mitigation strategies include noise barriers, water treatment infrastructure, and habitat restoration.
- For the Texas Triangle and Rio Grande Valley, rail projects must incorporate air quality modeling, noise studies, and wildlife impact assessments into site selection criteria.

2. Texas Rail Plan (2024 Edition) – Integrating Environmental Policy into Station Siting

The Texas Rail Plan serves as a foundational strategy document, emphasizing the importance of aligning commuter rail projects with state environmental goals. This includes:

- Protecting air and water quality.
- Minimizing land fragmentation.
- Encouraging multi-agency coordination to streamline permitting.

Rail stations placed near high-density urban nodes, transit hubs, and existing transport corridors minimize environmental footprint** by leveraging existing infrastructure, reducing the need for new land clearance.

3. TCEQ Environmental Permitting for Rail Development

The Texas Commission on Environmental Quality (TCEQ) mandates environmental permits for activities affecting air quality, water discharge, and wetlands protection. Rail stations and corridors must:

- Secure stormwater permits for construction runoff.
- Obtain Clean Air Act permits for diesel train operations (or demonstrate emissions reductions through electric trains).
- Address potential impacts on surface and groundwater during construction and operation.

Early submission of environmental documentation helps prevent costly project delays.

4. Regional Environmental Assessments – Case Study: Texas-Oklahoma Passenger Rail Study

The Texas-Oklahoma Passenger Rail Study EIS, conducted by the Federal Railroad Administration (FRA), provides a useful template for large-scale rail corridors. It outlines:

- Potential noise impacts on residential zones.
- Impacts on historic properties and culturally significant sites.
- Air quality modeling based on future rail traffic levels.
- Public outreach strategies to engage local communities during planning and environmental review.

Application to the Texas Triangle:

- Stations in urban centers (e.g., Dallas and Houston) should prioritize air quality monitoring.
- In rural areas, habitat protection and wetland conservation are primary concerns.

5. Environmental Justice and Historic Preservation (FEMA EHP Guidelines)

The FEMA Environmental and Historic Preservation (EHP) framework highlights the importance of:

- Protecting historically significant properties near proposed station sites.
- Ensuring low-income and minority communities are not disproportionately affected.
- Integrating cultural and historic impact assessments into station planning.

This is particularly relevant in regions like the Rio Grande Valley, where historically significant Hispanic and Indigenous cultural sites could intersect with rail development.

6. Best Practices for Environmental Integration (TRB Report)

The Transportation Research Board (TRB) provides a best practices framework for incorporating environmental data early into project planning. Recommended practices for commuter rail projects include:


• Using Geographic Information Systems (GIS) to map environmental constraints.


- Developing cumulative impact assessments, accounting for all transportation projects in a corridor.
- Establishing early coordination teams with federal, state, and local environmental agencies.


This approach ensures rail stations are not only environmentally compliant but also integrated into broader regional sustainability plans.

Phase	Key Actions
Early Planning	Conduct high-level environmental screening using TxDOT NEPA Toolkit.
Public Consultation	Begin outreach to local communities, environmental groups, and stakeholders.
Site Selection	Use GIS overlays to map floodplains, habitats, and historic areas to avoid sensitive sites.
EIA Documentation	Develop draft EA/EIS , emphasizing air quality, noise, water, and habitat mitigation.
Permitting	Submit TCEQ stormwater, air, and wetland permits in parallel with design reviews.
Construction Mitigation	Implement erosion control, noise barriers, and wetland restoration near construction sites.

Phase	Key Actions
Monitoring	Establish ongoing air quality and noise monitoring programs during
	rail operations.







Integrating Environmental and Regulatory Insights for Sustainable Station Placement

Introduction:

To enhance the strategic station placement framework for the proposed commuter rail system in the Texas Triangle, this section integrates key environmental and regulatory insights drawn from recent research. These insights provide essential guidance on mitigating ecological risks, ensuring compliance with legal frameworks, and promoting sustainable development in station design.

Environmental Risk Mitigation Strategies

Environmental Impact Assessments (EIA) are essential for identifying potential environmental risks associated with station construction and rail network expansion. Key findings from the Dallas to Houston High-Speed Rail Environmental Impact Statement (EIS) highlight effective mitigation strategies, including:

- Noise Pollution Control: Installing sound barriers along high-density residential zones.
- **Air Quality Protection:** Using electric rail technologies and low-emission construction machinery.
- Habitat Preservation: Re-routing rail lines to avoid ecologically sensitive areas and implementing reforestation programs in impacted zones.

The Texas-Oklahoma Passenger Rail Study emphasizes strategic station positioning to minimize impacts on water resources, with stormwater management systems and wetland conservation programs integrated into station designs.

Compliance Roadmap for Station Development

To ensure seamless regulatory compliance, the project integrates guidelines from the Texas Rail Plan and TxDOT's Environmental Compliance Framework. Recommended steps for regulatory adherence include:

- Environmental Screening Phase: Identify high-risk areas such as wetlands, floodplains, and conservation zones along proposed rail corridors.
- 2. **Stakeholder Engagement:** Initiate early consultations with local communities, environmental agencies, and city planners.
- 3. **Impact Mitigation Planning:** Design noise barriers, water retention systems, and sustainable landscaping solutions to reduce project footprint.
- 4. **Permit Acquisition:** Secure Section 404 permits under the Clean Water Act for stations near sensitive waterways and ensure NEPA (National Environmental Policy Act) compliance for federally funded routes.

Sustainable Station Design Principles

Research from the Public Use of Rail Right-of-Way in Urban Areas study emphasizes integrating station designs with existing infrastructure to minimize environmental disruption. Key recommendations include:

- Green Roofing Solutions to improve energy efficiency.
- Solar Panel Integration to reduce operational energy consumption.
- Rainwater Harvesting Systems for improved water conservation in station operations.

By incorporating eco-friendly materials, sustainable construction practices, and smart landscaping designs, these strategies reduce environmental impact while enhancing commuter convenience.

Visual and Data Integration

To enhance the project report's clarity and support data-driven decision-making, the following visuals have been prepared:

- Environmental Impact Zones Map: Identifying critical ecological areas along proposed routes.
- **Compliance Flowchart**: Outlining the EIA and permitting process for streamlined regulatory approval.


- **Station Design Infographic:** Showcasing sustainable design principles, including solar integration, noise reduction systems, and environmentally friendly materials.
- Population Density Heatmap: Highlighting high-demand zones to validate optimal station placements.

Expanded Recommendations:

The refined strategy now emphasizes:

- Prioritizing Environmentally Compliant Stations: Begin development with McAllen and Brownsville stations to minimize environmental risks while addressing high commuter demand.
- **Phased Implementation:** Adopt a staged rollout of station development, ensuring that each phase aligns with environmental compliance standards.
- Stakeholder Collaboration: Establish partnerships with environmental advocacy groups, city planners, and community leaders to foster project support and mitigate opposition.

By integrating these insights, the Texas Triangle commuter rail system is positioned to deliver not only improved transit accessibility but also a sustainable and environmentally responsible solution that aligns with state and federal requirements.



Integrating GIS and Visual Mapping Insights for Strategic Station Placement

Introduction:

To refine the strategic station placement framework within the Texas Triangle commuter rail project, this section incorporates key GIS (Geographic Information Systems) and visual mapping insights from recent research. These tools are vital in identifying optimal station sites by aligning demographic, traffic, infrastructure, and environmental variables into spatially accurate, data-rich visuals.

GIS-Based Planning and Visualization Strategies:

Insights from Esri's "5 Interesting Applications of GIS in Rail" demonstrate the power of GIS in optimizing route alignment, monitoring real-time transit data, and assessing infrastructure risks. Applied to this study, GIS enables planners to spatially evaluate traffic congestion points (e.g., Highway 83), overlay population clusters in McAllen, and map underdeveloped regions in Starr County needing improved connectivity.

The Texas A&M Transportation Institute's GIS Protocols for the Texas Travel Demand Package provide techniques for integrating population density, employment data, and land use variables into a unified mapping framework. These protocols guide the development of heatmaps and predictive models to forecast ridership at proposed station sites near McAllen, Mission, and Brownsville.

The Spatial Data Integration in Transportation Planning report underscores the importance of harmonizing data layers from multiple agencies, including traffic, environmental, and transit access data. This ensures a comprehensive analysis of constraints and opportunities, such as proximity to commercial zones or conflict with industrial corridors.

Environmental Overlays and Visual Risk Management:

The AASHTO Environmental Planning GIS Toolkit introduces spatial overlay tools for assessing ecological risks, floodplain exposure, and wetland protection. These tools help ensure that stations in Brownsville and along the Lower 365 Loop avoid ecologically sensitive areas and meet environmental compliance from the outset.

Additionally, the Texas Railroad Commission GIS Viewer supports mapping existing infrastructure—such as pipelines and utilities—to prevent route overlap and streamline land use permitting. This is especially important when considering rail alignments near mixed-use or industrial zones.

Interactive Mapping and Stakeholder Communication:


ArcGIS StoryMaps, as featured in the Greater Triangle Commuter Rail Phase 2 Study, showcase how interactive visuals can enhance transparency and stakeholder engagement. These tools make it easier to present station proposals, transit performance metrics, and demographic overlays in a

user-friendly format. Adopting a similar visual storytelling approach will support public outreach during stakeholder meetings and planning sessions.

Visual and Data Integration


To enhance geographic clarity in your report, the following custom visual has been generated:

GIS-Based Mapping Insights and Station Placement Map: Highlights McAllen,
 Brownsville, and Mission station sites with overlays identifying high-transit demand,
 feeder route integration points, and future growth zones.



This map provides a spatial context for station siting decisions and supports the argument for strategic investment in these key locations.

GIS-Integrated Compliance and Station Siting Workflow



Expanded Recommendations:

The updated GIS integration strategy includes:

- **Spatial Risk Management:** Use environmental overlays to avoid flood-prone and ecologically sensitive areas.
- Transit Demand Forecasting: Apply heatmaps to confirm high-ridership zones for station prioritization.
- **Infrastructure Conflict Avoidance:** Use public GIS viewers to map utility corridors and prevent land use issues.
- **Stakeholder Engagement:** Leverage interactive ArcGIS tools to present transit plans and collect feedback.

By incorporating GIS insights, this study ensures that station placement is both technically sound and visually communicative, reinforcing the project's sustainability, accessibility, and regulatory compliance goals.

Expanding GIS and Visual Mapping Insights for Strategic Station Placement

Introduction

To strengthen the station placement framework for the Texas Triangle commuter rail system, this section integrates advanced Geographic Information Systems (GIS) research and visual data analysis methods. As commuter rail expands to support sustainable mobility in Texas, particularly across South Texas cities such as McAllen, Mission, and Brownsville, GIS plays a central role in aligning demographic patterns, land use trends, environmental constraints, and transportation infrastructure. These tools offer spatially grounded decision-making frameworks, ensuring rail infrastructure meets current needs while anticipating future urban growth.

GIS-Based Planning and Visualization Strategies

One of the foundational studies in this area is "Develop a GIS-Based Megaregion Transportation Planning Model," which emphasizes spatial planning at the scale of the Texas Triangle megaregion. This model incorporates freight and passenger dynamics, offering GIS-based visualization of growth nodes, economic hubs, and bottlenecks in regional travel. For the Texas

Triangle project, this model helps prioritize locations like McAllen and Mission where regional flows intersect with high-density urban expansion.

In a similar vein, the Texas A&M Transportation Institute's report on "GIS Models for Analyzing Intercity Commute Patterns" offers tools to map rural-urban commuting flows using GIS clustering and traffic data. This is especially relevant for cities like Brownsville, which connect smaller rural counties to larger economic centers. By mapping where commuters originate and terminate their daily trips, planners can identify optimal station catchment areas to improve first-mile/last-mile transit solutions.

The "Texas Urban Triangle Spatial Decision Support System (SDSS)" takes GIS further by building an interactive tool that incorporates zoning, congestion, population density, and development forecasts. This SDSS model allows scenario testing for station placement across the Texas Triangle, evaluating trade-offs between accessibility, land availability, and environmental risk. For instance, stations proposed in Hidalgo County can be assessed for long-term viability against shifting land-use policies and future housing development.

A valuable technical contribution is made by the study "High-Speed Rail Route and Regional Mobility with a Raster-Based SDSS," which demonstrates how raster-based GIS scoring can evaluate corridor feasibility. Factors such as slope, proximity to utilities, land cover, and urban proximity are weighted to create suitability indexes. These indexes can be directly applied to

prioritize locations for station infrastructure in challenging topographies or semi-developed landscapes.

Environmental Overlays and Visual Risk Management

GIS also enables proactive environmental protection in infrastructure planning. The study "Exploring Urban Expansion in the Texas Triangle" shows how GIS can forecast where development will occur, helping planners avoid placing stations in future ecological conflict zones. When coupled with overlays from the AASHTO Environmental Planning Toolkit, planners can assess risk from wetlands, flood zones, and habitats with high conservation value.

Furthermore, the Texas Railroad Commission's GIS Viewer provides an essential layer for infrastructure conflict detection. Pipelines, energy corridors, and utility rights-of-way are mapped in real-time to ensure station sites do not overlap with regulated areas. This is especially useful for locations like Starr County, where undeveloped land must be analyzed against both ecological and energy infrastructure concerns.

Interactive Mapping and Stakeholder Communication

Beyond internal planning, GIS supports transparency and public engagement. The Greater Triangle Commuter Rail Phase 2 ArcGIS StoryMap demonstrates how GIS can be used for interactive planning displays. Stakeholders can explore alternative station locations, environmental trade-offs, and demographic forecasts through intuitive interfaces.

By adopting similar visual storytelling formats, the Texas Triangle Rail Group can enhance public consultations. This is particularly useful in communities with lower access to technical transportation data, allowing them to engage meaningfully with proposed infrastructure.


Including visuals such as transit maps, demographic overlays, and environmental buffers transforms complex data into accessible public knowledge.

Visual and Data Integration


To reinforce the narrative with decision-ready visuals, two custom graphics have been developed:

• GIS Integration Flow for Strategic Station Planning: This flowchart visualizes the integration process of urban density mapping, commuter modeling, environmental overlays, and stakeholder visuals. It demonstrates the layered approach to determining the most effective and sustainable station locations.

GIS Integration Flow for Strategic Station Planning



Population Density Heatmap with Proposed Station Alignment: This map overlays
regional density patterns with station markers for McAllen, Mission, and Brownsville. It
visually justifies station siting by aligning population clusters with transportation access
points.



These visuals serve as data-driven evidence for key planning decisions and can be included in your "Station Placement Strategy" and "GIS Analysis" sections.

Expanded Recommendations

Based on the research findings and mapping integration, the project strategy now includes:

- **Spatial Risk Management:** Incorporate flood zone and habitat overlays to filter out high-risk station areas.
- Raster-Based Corridor Scoring: Use SDSS techniques to prioritize station placement by land use compatibility, access, and environmental resilience.
- Commuter Behavior Forecasting: Leverage intercity travel modeling to design stations near peak origin-destination nodes, improving ridership potential.
- **Zoning and Land Use Coordination:** Align station placement with long-term municipal zoning and regional land use planning.
- Infrastructure Conflict Avoidance: Use the Texas Railroad Commission GIS Viewer to prevent land use clashes with utility or pipeline corridors.
- **Public Communication:** Deploy ArcGIS StoryMaps and visual dashboards to engage stakeholders with accessible, data-rich presentations.

By integrating GIS tools and visual frameworks, this study ensures that station siting in the Texas Triangle commuter rail system is grounded in geographic reality, future-focused planning, and participatory design principles. These enhancements elevate the project's sustainability, accessibility, and technical integrity while positioning it as a model for data-driven infrastructure planning.

GIS and Map-Based Research for Strategic Station Placement in the Texas Triangle

Introduction

The growing need for sustainable commuter rail solutions in South Texas calls for a data-driven approach to infrastructure planning. This section incorporates advanced Geographic Information System (GIS) research and graphic integration strategies to support the strategic placement of commuter rail stations in the Texas Triangle. Drawing on recent studies and interactive tools, the approach integrates spatial modeling, environmental overlays, regional commute patterns, and demographic expansion to align transportation planning with regional growth, policy, and sustainability goals.

GIS-Based Planning and Visualization Frameworks

The report titled "Texas Urban Triangle: Spatial Decision Support System (SDSS)" by Texas A&M Transportation Institute introduces a GIS-based model to help planners evaluate transit corridors using data layers such as zoning, congestion, and future land use. This SDSS platform provides scenario testing for station locations that align with long-term regional development and infrastructure investments.

In parallel, the "Develop a GIS-Based Megaregion Transportation Planning Model" by the University of Texas at Austin focuses on simulating passenger and freight mobility across the Texas Triangle using demographic, economic, and network overlays. These models provide

insights into optimal corridor locations and help validate station positioning in high-growth zones such as McAllen and Mission.

Commuter Pattern Analysis and Raster-Based Modeling

Understanding daily commute behavior is vital for successful station siting. The "GIS Models for Analyzing Intercity Commute Patterns" study by TTI offers a powerful approach to mapping commuter flows between urban centers and rural peripheries using origin-destination matrices and spatial clusters. This is especially relevant in Starr and Hidalgo Counties, where high outbound commuter traffic supports the case for placing stations near emerging employment centers.

Meanwhile, the "Raster-Based SDSS for High-Speed Rail Corridor Planning" by Li and Oden employs raster scoring to evaluate corridor suitability based on topography, infrastructure proximity, and environmental buffers. These raster maps generate composite suitability indexes for each proposed site, allowing planners to visually compare the feasibility of station alternatives.

Environmental and Infrastructure Conflict Management

GIS also supports proactive environmental planning and conflict mitigation. The "Exploring Urban Expansion in the Texas Triangle" article uses satellite imagery and time-series GIS data to

track development patterns. This helps planners identify zones of future urbanization where commuter rail stations can spur transit-oriented development without encroaching on greenfields.


Additionally, the TxDOT Open Data Portal provides real-time access to maps of transportation assets, land ownership, pipeline networks, and regulated environmental areas. Incorporating these data layers ensures that station construction avoids utility corridors, ecological preserves, and floodplains, minimizing regulatory hurdles.

Visual Mapping and Stakeholder Engagement


Effective communication of spatial data is critical in multi-jurisdictional rail projects. The Greater Triangle Commuter Rail ArcGIS StoryMap demonstrates how to create interactive visual dashboards for route planning, station evaluation, and public input. Incorporating this method into your study promotes transparency and empowers communities to co-develop the system.

To support these efforts, the following visuals have been created:

Raster-Based GIS Suitability Map for Station Placement: A heatmap-style
visualization showing the relative suitability of McAllen, Mission, and Brownsville based
on environmental and infrastructural criteria.



• Urban Growth vs Station Demand Chart: A bar graph comparing projected population growth with modeled station demand in five South Texas cities.



These visuals can be integrated into the sections titled "Spatial Risk Management" and "Transit Prioritization and Forecasting," supporting your recommendations with clear data representations.

Expanded Recommendations

As a result of these integrated research efforts, the following strategic updates have been incorporated:

- Use SDSS Modeling for Corridor Evaluation: Apply the Texas Urban Triangle SDSS
 and UT Austin's megaregional transportation model to evaluate corridor trade-offs and
 scenario-based siting.
- Incorporate Raster Suitability Scoring: Use composite raster maps to compare terrain, infrastructure proximity, and urban influence on potential station sites.
- Target Urban-Periphery Commuters: Use origin-destination mapping to identify
 where rural commuters merge into urban zones and place feeder or transition stations
 accordingly.
- Avoid Infrastructure and Ecological Conflicts: Leverage the TxDOT Open Data Portal
 and Railroad Commission GIS Viewer to avoid utility rights-of-way, hazardous zones,
 and sensitive habitats.
- Forecast with Urban Expansion Layers: Use spatiotemporal land cover datasets to ensure stations are future-proofed for projected city growth.
- **Promote Interactive Planning Dashboards:** Use platforms like ArcGIS StoryMaps to visually communicate station strategies to city councils, funding agencies, and residents.

Conclusion

By embedding these GIS tools and research findings into your strategic framework, the station placement process becomes not only more accurate and technically sound, but also more inclusive, regulatory-ready, and future-focused. Through spatial scoring, environmental foresight, commuter demand modeling, and interactive engagement, this project demonstrates a scalable approach for data-driven commuter rail expansion in Texas. These integrated visuals and recommendations provide both analytical strength and visual clarity, empowering better decisions across all stakeholder levels.

References:

- US Census Bureau link: https://www.census.gov/programs-surveys/sis/resources/data-tools/quickfacts.html
- Zip Code link with the US Postal Service (USPS): https://tools.usps.com/zip-code-lookup.htm? https://www.zip-codes.com
 https://www.zip-codes.com
- Valley Metro Bus links: https://www.valleymetro.org/maps-schedules
- Metro McAllen Bus link: https://www.bing.com/search?q=McAllen+Texas+bus+schedules&form=ANNTH1&refig=b469b18b22ad4bf2a598b73a7ef82d4a&pc=U531
- Brownsville Metro Bus link: https://www.brownsvilletx.gov/608/Rider-Guide
- Traffic Counts: <a href="https://learn.streetlightdata.com/streetlight-advanced-traffic-counts?utm_source=bing&utm_medium=Paid-Search&utm_campaign=StreetLight-Data-NB&utm_term=traffic%20volume%20data&creative=&keyword=traffic%20volume%20data&matchtype=p&network=o&device=c&utm_term=traffic%20volume%20data&utm_campaign=Commercial-NB-Bing&utm_source=bing&utm_medium=ppc&hsa_acc=7146595976&hsa_cam=1635934

0259&hsa_grp=1363396915420526&hsa_ad=&hsa_src=o&hsa_tgt=kwd-85213436063675:loc-

- 4126&hsa_kw=traffic%20volume%20data&hsa_mt=p&hsa_net=bing&hsa_ver=3&mscl kid=04f48333ae2517f6a0cde5d08b423697
- Texas Department of Transportation traffic counts: https://www.txdot.gov/data-maps/traffic-count-maps.html
- Trinity Railway Express (TRE): https://trinityrailwayexpress.org
- Texas and Pacific Railway: https://en.wikipedia.org/wiki/Texas and Pacific Railway
- List of U.S. Commuter Rail Systems:
 https://en.wikipedia.org/wiki/List of United States commuter rail systems
- https://www.census.gov/quickfacts/facts?utm source=chatgpt.com
- https://transportation.org/ctpp/
- https://www.txdot.gov/content/dam/docs/rail/texas-rail-plan-executive-summary.pdf?utm_source=chatgpt.com
- https://www.academia.edu/60078593/Do_Rail_Transit_Stations_Affect_the_Population_
 Density_Changes_around_Them_The_Case_of_Dallas_Fort_Worth_Metropolitan_Area?
 utm_source=chatgpt.com
- https://library.ctr.utexas.edu/Presto/content/Detail.aspx?ctID=UHVibGljYXRpb25fMTE
 2MTA%3D&rID=MzM2OTM%3D&utm_source=chatgpt.com
- https://gis-txdot.opendata.arcgis.com/datasets/txdotroadways/explore?location=31.215745%2C-108.588797%2C7.78
- https://www.txdot.gov/projects/planning/statewide-planningmap.html?utm_source=chatgpt.com
- https://www.researchgate.net/publication/283548385 Metropolitan_rail_connections Using GIS analysis of commuter location data for improved services

- https://onlinepubs.trb.org/onlinepubs/Conferences/2011/Census/Presentations/10-26_830-10amCervenka/2Eichler.pdf?utm_source=chatgpt.com
- https://valleymetro.maps.arcgis.com/apps/webappviewer/index.html?id=969c8a1ce7c145
 https://valleymetro.maps.arcgi
- https://www.valleymetro.org/about/agency/surveys-studies/short-range-transitprogram?utm_source=chatgpt.com
- https://www.valleymetro.org/about/agency/transitperformance/reports?utm_source=chatgpt.com
- https://drupal-space.nyc3.cdn.digitaloceanspaces.com/s3fs-public/uploads/event-resources/valley metro strategic plan 2016-2020 web.pdf?utm source=chatgpt.com
- https://valleymetro.maps.arcgis.com/home/index.html?utm_source=chatgpt.com

•